

Locales

variables

- LANG : establece el valor del lenguaje (y de LC_*) usado en el sistema
- LC_ALL : establece el valor de todas las categorías y tiene preferencia
 - LC_COLLATE : funciones de cadena
 - LC_CTYPE : establece el comportamiento de funciones que tengan que ver con la convención de mayúsculas/minúsculas
 - LC_MESSAGES : message catalogs ¿?
 - LC_MONETARY : formato de moneda
 - LC_NUMERIC : formato numérico
 - LC_TIME : formato de fechas y horas

configuración

```
$ export LANG=en_US.utf8
$ export LC_ALL=en_US.utf8
$ sudo dpkg-reconfigure locales
```

listado de **locales** instalados en el sistema: `locale -a` con `sudo dpkg-reconfigure locales` se pueden añadir más

```
$ locale
LANG=en_US.utf8
LANGUAGE=
LC_CTYPE="en_US.utf8"
LC_NUMERIC="en_US.utf8"
LC_TIME="en_US.utf8"
LC_COLLATE="en_US.utf8"
LC_MONETARY="en_US.utf8"
LC_MESSAGES="en_US.utf8"
LC_PAPER="en_US.utf8"
LC_NAME="en_US.utf8"
LC_ADDRESS="en_US.utf8"
LC_TELEPHONE="en_US.utf8"
LC_MEASUREMENT="en_US.utf8"
LC_IDENTIFICATION="en_US.utf8"
LC_ALL=en_US.utf8
```

+ info

- <https://gerardnico.com/linux/locale>
- <https://stackoverflow.com/questions/30479607/explain-the-effects-of-export-lang-lc-ctype-lc-all>

From:

<https://miguelangel.torresegea.es/wiki/> - **miguel angel torres egea**

Permanent link:

<https://miguelangel.torresegea.es/wiki/linux: bash: locales?rev=1533642223>

Last update: **07/08/2018 04:43**

