

seedbox

docs

rtorrent

- <https://wiki.gentoo.org/wiki/RTorrent>
- https://wiki.archlinux.org/index.php/RTorrent#Manage_completed_files
- <https://github.com/rakshasa/rtorrent/wiki/Common-Tasks-in-rTorrent#move-completed-torrents-to-a-fixed-location>
- https://www.reddit.com/r/archlinux/comments/8s5zb9/rtorrent_move_on_complete/
 - [rtorrent-docs-readthedocs-io-en-latest.pdf](#)

rutorrent

- <https://github.com/Novik/ruTorrent/wiki/Config>
 - quitar multiusuario al añadir .htaccess: variable \$forbidUserSettings=true; en **/var/www/rutorrent/conf/config.php** (docker diameter:rtorrent-rutorrent)

anexos

- [nginx+certbot en contenedor](#)
- [rtorrent+rutorrent en contenedor](#)
- [configuración rtorrent\(on premise\)](#)
- [configuración/uso screen](#)
- [instalación / configuración rutorrent \(on premise\)](#)

From:

<https://miguelangel.torresegea.es/wiki/> - **miguel angel torres egea**

Permanent link:

<https://miguelangel.torresegea.es/wiki/linux:debian:seedbox:start?rev=1581188377>

Last update: **08/02/2020 10:59**

