

# Debian 12 bookworm

## network

/via:

- <https://www.linuxtechi.com/configure-static-ip-address-debian/>
- <https://infotechys.com/add-multiple-ip-addresses-using-nmcli/>
- <https://shape.host/resources/como-configurar-la-red-en-debian-12>

## nmcli

```
nmcli connection
sudo nmcli connection modify 'Wired connection 1' ipv4.address 192.168.1.240/24
sudo nmcli connection modify 'Wired connection 1' ipv4.gateway 192.168.1.1
sudo nmcli connection modify 'Wired connection 1' ipv4.method manual
sudo nmcli connection modify 'Wired connection 1' ipv4.dns '8.8.8.8 4.4.8.8'
sudo nmcli connection down 'Wired connection 1' # perdida de conexión
sudo nmcli connection up 'Wired connection 1'
ip add show enp0s3
```

## /etc/network/interfaces

```
auto enp0s3
iface enp0s3 inet static
    address 192.168.1.240/24
    network 192.168.1.0
    broadcast 192.168.1.255
    gateway 192.168.1.1
    dns-nameservers 8.8.8.8
```

```
sudo systemctl restart networking.service
```

## DHCPD

- /via: <https://www.ionos.es/digitalguide/servidores/configuracion/como-asignar-una-ip-fija-a-raspberry-pi/>

From:  
<https://miguelangel.torresegea.es/wiki/> - miguel angel torres egea



Permanent link:  
<https://miguelangel.torresegea.es/wiki/linux:distros:debian-12-bookworm>

Last update: **15/05/2025 02:05**