

Dockerfile

- https://docs.docker.com/develop/develop-images/dockerfile_best-practices/
- mirar: <https://runnable.com/blog/9-common-dockerfile-mistakes>

nombre contenedores

- [a-zA-Z0-9][a-zA-Z0-9_-.]
- max. 30 caracteres
- <https://stackoverflow.com/questions/42642561/docker-restrictions-regarding-naming-container>

zona horaria

- [Zona Horaria \(TZ\)](#)
- crear volúmenes a `/etc/localtime`, `/etc/timezone` para que coincida con el host:

volumes:

- `"/etc/timezone:/etc/timezone:ro"`
- `"/etc/localtime:/etc/localtime:ro"`

- <https://serverfault.com/questions/683605/docker-container-time-timezone-will-not-reflect-changes>
- ejecución de comando en **Dockerfile**:

```
ENV TZ 'Europe/Andorra'  
RUN echo $TZ > /etc/timezone && \  
apt-get update && apt-get install -y tzdata && \  
rm /etc/localtime && \  
ln -snf /usr/share/zoneinfo/$TZ /etc/localtime && \  
dpkg-reconfigure -f noninteractive tzdata && \  
apt-get clean
```

Dockerfile examples

- [Dockerfile mariadb + SSL dockerfile](#)
- [Dockerfile run script dockerfile](#)

From:

<https://miguelangel.torresegea.es/wiki/> - miguel angel torres egea

Permanent link:

<https://miguelangel.torresegea.es/wiki/tech:docker:dockerfile>

Last update: **15/11/2021 23:34**

