

Terraform

devops, info

- [terraform AWS](#)
- [terraform azure](#)

cli

básicos

- **init** : Initialize a new or existing Terraform configuration
- **validate** : Validates the Terraform files
- **plan** : Generate and show an execution plan
- **fmt** : Rewrites config files to canonical format
- **apply** : Builds or changes infrastructure
- **graph** : Create a visual graph of Terraform resources
- **output** : Read an output from a state file
- **destroy** : Destroy Terraform-managed infrastructure

otros

- **refresh** : Update local state file against real resources
- **show** : Inspect Terraform state or plan
- **taint** : Manually mark a resource for recreation
- **untaint** : Manually unmark a resource as tainted
- **debug** : Debug output management (experimental)
- **force-unlock** : Manually unlock the terraform state
- **state** : Advanced state management

autocomplete

- `terraform --install-autocomplete` : bash/zsh
- `terraform --uninstall-autocomplete`

enlaces documentación

0.11

- <https://www.terraform.io/docs/configuration-0-11/interpolation.html>: interpolación (referenciar variables, atributos de recursos, llamar funciones)

de interés

output

- volcar información a fichero:

```
resource "local_file" "foo" {
  content = "${tls_private_key.vm_adwriter.private_key_pem}"
  filename = "${path.cwd}/vm_adwriter.key"
}
```

- desencriptar password windows:

```
output "ec2_password" {
  value = "${rsadecrypt(aws_instance.vm_adwriter.password_data,
file("${path.cwd}/vm_adwriter.key"))}"
}
```

mapas

- usando **var.aws_region** como índice del mapa para seleccionar la imagen adecuada en función de la región

terraform.tfvars

```
aws_region = "eu-west-3" # París
```

main.tf

```
variable "aws_region" {
  type = "string"
}

variable "amis-aws-windows2016base" {
  # Windows_Server-2016-English-Full-Base-2019.02.13
  type = "map"

  default = {
    us-east-1 = "ami-0bf148826ef491d16" # Virigina
    eu-west-3 = "ami-0e3f0a08a6950f3e2" # París
  }
}
```

```
resource "aws_instance" "bastion_ad" {
  ami           = "${lookup(var.amis-aws-windows2016base, var.aws_region)}"
  instance_type = "t2.micro"
  ...
}
```

casos de uso

- [casos de uso](#)

ejemplos

- [POC estructura AD](#)
- [terraform win-instance](#)

From:

<https://miguelangel.torresegea.es/wiki/> - **miguel angel torres egea**

Permanent link:

<https://miguelangel.torresegea.es/wiki/tech:terraform:start?rev=1585123423>

Last update: **25/03/2020 01:03**

